

For Mid-Height Glasshouse or Indoor Farming Installations











The Odyssey 300 is an efficient & versatile horticultural LED grow light ideal for mid-height glasshouses or indoor farming installations.

Manufactured in the UK using the latest in LED technology and enclosed in a robust linear extrusion this luminaire is IP66 rated and built to last. The accompanying remote PSU can be mounted independently to increase configuration options.

Mounting options include rear mounting brackets or a suspension kit to ensure installation is easy whatever your set-up.



LIGHT OUTPUT


ELECTRICAL

| Input Voltage | 90-305 VAC or 249-528 VAC |
|-----------------|---------------------------|
| Connection type | Trailing Lead |
| Dimmable | 0-10V / Wireless |
| PF | >0.95 PF |
| | |

PHYSICAL & ENVIRONMENTAL

| Finish | Anodised aluminium |
|------------------|--------------------|
| Length options | 532mm |
| Storage Temp | -30°C to 85°C |
| Operating Temp | -10°C to 35°C |
| IP Rating | IP66 |
| Cable Exit/Entry | End |
| Weight | 4.5 kg |
| Lifetime | L90 >55,000 hrs |
| | |









ODYSSEY 300






SPECTRA OPTIONS








SPECTRUM PHOTON DISTRIBUTION

| OD01 | 11% | 0% | 89% | 0% | |
|------|-----|-----|-----|----|--|
| OD02 | 17% | 8% | 75% | 0% | |
| OD03 | 10% | 25% | 64% | 1% | |

LIGHT DISTRIBUTION



DIMENSIONS





SPECIFICATIONS

| Part No. | Product Code | Voltage (VAC) | Spectrum | Power (W) | *PPF (µmol/s) | †PPE (µmol/J) |
|----------|-------------------------------------|------------------|----------|--------------|------------------|------------------|
| 016819 | VU-ODYSSEY-300-OD01-532mm-230V-IP66 | 230 | OD01 | 281 | 898 | 3.2 |
| 016820 | VU-ODYSSEY-300-OD01-532mm-400V-IP66 | 400 | OD01 | 281 | 898 | 3.2 |
| 016823 | VU-ODYSSEY-300-OD02-532mm-230V-IP66 | 230 | OD02 | 267 | 774 | 2.9 |
| 016824 | VU-ODYSSEY-300-OD02-532mm-400V-IP66 | 400 | OD02 | 267 | 774 | 2.9 |
| 016821 | VU-ODYSSEY-300-OD03-532mm-230V-IP66 | 230 | OD03 | 266 | 719 | 2.7 |
| 016822 | VU-ODYSSEY-300-OD03-532mm-400V-IP66 | 400 | OD03 | 266 | 719 | 2.7 |


 $^\dagger A$ 3.8µmol/J full red luminaire is available upon request $* Typical PPF +/-10%

ACCESSORIES

| Part No. | Product Code |
|----------|---|
| 016856 | vu-mounting-kit-odyssey-unistrut |
| 016857 | VU-MOUNTING-KIT-ODYSSEY-UNIVERSAL-CABLE |

Each Odyssey luminaire is supplied with a power supply as standard. A separate hanging kit of the desired type should be ordered for each lumnaire.













VERTICALLY URBAN

LIGHTING THE FARMS OF THE FUTURE



CONTACT DETAILS

VERTICALLY URBAN

Typhoon House Moxon Way Leeds West Yorkshire LS25 6FB United Kingdom



hello@verticallyurban.com



+44(0)113 322 6459



vertically urban com

